TYPICAL INSTALLATION OF ELECTRONIC IGNITION 24 VOLT TRANSFORMER REQUIRED ***

PATENTED FLAME

LIGHTS - CSA CERTIFIED *



(1) NG 3451 BTU
(2) LP 2800 BTU
(3) 4854 BTU

NG - 7" W.C.
LP - 11" W.C.

WHEN CONNECTING MORE THAN ONE LIGHT, POLARITY MUST BE CONSISTENT

**110 TO 24 VOLT A.C. CLASS II-MAGNETIC TYPE TRANSFORMER

CONTROL BOX APPROX. .380 OHMS

CONTROL BOX IS MOUNTED UPSIDE DOWN UNDER A COPPER COVER



PROPANE BURNER STEM

PROPANE FLAME SPREADER



PROPANE REGULATOR

**PROPANE BURNER STEM IS DIFFERENT FROM NG & ALSO NEEDS REGULATOR (1.4" W.C.)

24V - 20VA TRANSFORMER FOR ONE LIGHT
24V - 40VA TRANSFORMER FOR TWO LIGHTS

ELECTRONIC IGNITION COMPONENTS ARE INSTALLED IN THE BASE,WALL BRACKET, COLUMN MOUNT BRACKET, OR CEILING BOX OF THE LANTERN

Fine's Gas
2777 Lafayette Road
Fort Oglethorpe, GA 30742
706-866-8290
www.finesgas.com