

3/4" OF GRILL SHOULD PROTRUDE ABOVE SURFACE OF DROP-IN!!

82 9/16"

11 5/16"  
(DIM. TO  
TOP OF  
DROP-IN)

3/4"

AIR BOX

3/8"

AIR BOX

NOTE THE 3/8" GAP FROM THE BOTTOM OF THE FACE PLATE TO THE AIR BOX. THEREFORE THE AIR BOX WILL SUPPORT THE WEIGHT OF THE GRILL. (NOTE THIS WHEN BUILDING DROP-IN AND PLACE ADEQUATE BRACES UNDER THESE!!)

LID OPEN TO FULL EXTENT.

75°

WALL OR OBSTRUCTION.

COUNTER TOP, DROP-IN  
ETC..


$\frac{3}{4}$ "

NOTICE HOW GRILL SETS  
ABOVE COUNTER TOP!!

LEAVE AT LEAST 10 1/2" BETWEEN  
BACK OF GRILL AND ANY OBSTRUCTION  
BEHIND GRILL!! THIS IS TO ALLOW THE  
LID TO OPEN PROPERLY

10 1/2"

DIM. FOR  
DROP-IN



MODEL: 1396  
 PAGE 3 OF 4

DIM. FOR  
 DROP-IN

