

ProFire® Grills

Perfection by Design
A Division of Modern Home Products

PROSEAR INFRARED INDOOR GRILL



Our US Made, Infrared stainless steel constructed ProSear Indoor Grill is the first and only of its kind on the market today.

Prepare food simply and effectively with that great outdoor flavor in an economical, safe and hassle-free way. Delivering maximum performance and years of low-maintenance operation, ProFire has perfected the art of delicious restaurant grilled flavor with this High Quality Stainless Steel Indoor Infrared Grill.

PFINDOOR-N
30" NG Stainless Steel Indoor
Infrared Gas Grill

PFINDOOR-P
30" LP Stainless Steel Indoor
Infrared Gas Grill



Cabinetry not included

Features:

- Stainless steel construction
- Electronic ignition, 120 volt operation automatically ignites burners
- 5/16" stainless steel rods cooking grids
- 35,000 BTU rated per-hour input
- 333 square inches total cooking area
- Limited lifetime warranty (on rust-through) on stainless steel cooking grids and stainless steel body components. 5 year warranty on infrared components and 1 year warranty on all other components.
- Stainless steel dust cover included
- Available for Natural or LP Gas application

Advantages of Infrared Burner Technology:

- Fast...heats up in approximately 5 minutes
- Intense heat-seals in meat juices for better flavor
- Time saver...heats up faster with shorter grilling time
- High intense heat reduces flare-ups by vaporizing juices instantly

PFINDOOR-N

30" NG Stainless Steel
Indoor Infrared Gas Grill

PFINDOOR-P

30" LP Stainless Steel
Indoor Infrared Gas Grill

General Specifications

MODEL	POWER REQUIREMENTS	VENT HOOD REQUIREMENTS	VENT HOOD CLEARANCE	OVERALL DIMENSIONS	CUT-OUT DIMENSIONS	WEIGHT
PFINDOOR	120 Volts, 60H, 0.12 AMP	36" Minimum Vent Hood 600 CFM Internal Blower 900 CFM External Blower	From cooking surface to vent hood Minimum – 26" Maximum – 30"	30-1/2" W x 21" L x 12-3/4"D	29" (left to right) X 20" (front to back)	128 lbs.

Clearances:

Side Wall/Alcove Counter Installations, with heat shield installed, shall have minimum horizontal distance(s) from the sides and back of appliance to adjacent vertical combustible walls extending above the top panel, 6 inches from the side walls, 4 inches from the rear wall. Minimum horizontal distance from the front edge of the counter to the front side of the appliance, 1 inch. Minimum vertical distance from the distance from the top of the cooking grid to an overhead unprotected combustible surface is 48". Maximum depth of the overhead cabinets is 13 inches.

Island Counter Installation, without heat shield installed, shall have minimum horizontal distance(s) from the sides and back of appliance to adjacent vertical combustible walls extending above the top panel, 14 inches from the side walls, 14 inches from the rear wall. Minimum horizontal distance from the front edge of the counter to the front side of the appliance, 1 inch.

Zero to combustibles below cooking surface

PROSEAR INFRARED INDOOR GRILL WARRANTY

LIMITED LIFETIME

- Stainless Steel Cooking Grid
- Stainless Steel Body

5-YEAR WARRANTY

- Infrared Burner

1 YEAR WARRANTY:

All Other Grill Components



Grills in a commercial, community or multi-tenant application will have a 1-year warranty on all parts only.



Made in America