

Tahoe Direct-Vent FireplacesPremium Clean-Face Multisided SeriesPeninsula and See-Through

Premium Clean-Face Direct-Vent See-Through Fireplace, Rustic Brick with Soldier Course Liner, and Campfire Logs, installed in Custom Stone Surround



White Mountain Hearth – The Pinnacle of Efficiency



A Great View from Any Angle

The versatile Tahoe Clean-Face multi-sided fireplaces open new dimensions in beauty, features, and installation versatility.

A Peninsula fireplace projects warmth and beauty into a large room – helping define the space with an attractive and functional visual break.

A See-Through fireplace – installed between two rooms or in a divider wall – helps tie adjoining spaces together to create a more open, airy feel.

Both multi-sided fireplaces are rated at 34,000 Btu (Nat) / 32,500 Btu (LP).

Premium Clean-Face See-Through



Versatile Installation, Multiple Accessories

Both Peninsula and See-through models feature an attractive clean-face design that integrates the barrier screens into the fireplace – flush with the fireplace face – allowing you to install tile, brick, or other noncombustible materials right up to the fireplace opening.


Choose between the hand-painted Campfire Logs or Mixed Logs and Stones to customize your fireplace.

The optional decorative doors and fronts let you finish your new fireplace in the look that suits your décor.



Premium Clean-Face Peninsula

Premium Clean-Face Direct-Vent Peninsula Fireplace, Black Fluted Liner, and Mixed Stones and Logs, Installed in Custom Surround



Modern Technology – Multiple Control Options

Your Peninsula or See-Through Tahoe Clean-Face Fireplace is available in Millivolt – with a standing pilot for simple, reliable operation all winter long. Or choose our energy-saving Intermittent Pilot ignition. The IP system includes battery backup to operate in a power outage and can switch to a standing pilot to warm your home during an extended power failure. Both the Millivolt and IP systems work with our control accessories – from a simple on/off remote to a thermostat to a programmable thermostat remote.



FRBTP Programmable Remote Control Millivolt or IP



FRBC Remote Control Millivolt Only



FRBTC Thermostat Remote Control Millivolt or IP




RVKP or RVKN Remote Control IP Only



TRW Wall Thermostat



TMV Wall Thermostat



FWS Wall Switch

Installation Requirements

Includes non-combustible board for installation above the fireplace. Additional non-combustible materials may be required. See installation manual.

Liners

For Premium Clean-Face Tahoe multi-sided fireplace models, choose a hand-painted ceramic fiber liner in Rustic Brick with Soldier Course, or Fluted Black. Or select a Black Porcelain liner to enhance the illusion of flame and depth.








Rustic Brick with Soldier Course

Black Fluted Liner

Black Porcelain

Decorative Fronts & Doors



Rectangle Front, shown in Oil-Rubbed Bronze



Alexandra Doors, Brushed Nickel with Matte Black

The available lighting kit draws attention to the intricate details in the log set and liner – even when no fire is burning. Enhance heat distribution with the optional variable-speed blower. Both the light and blower include a rheostat control.




Optional Variable-Speed Blower





Optional Lighting Kit

DV Premium Peninsula Fireplace Dimensions

Model	A Max Height	B Max. Width	C Max. Depth	D Height	E Width	F Interior Depth	H Height to Standoffs	U Viewing Area Width	V Viewing Area Height	X Viewing Area Width - Sm
DVCP36PP30	39 1/4	42	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25	18 5/8
DVCP36PP70	39 1/4	42	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25	18 5/8










DV Premium See-Through Fireplace Dimensions

Model	A Max Height	B Max. Width	C Max. Depth	D Height	E Width	F Interior Depth	H Height to Standoffs	U Viewing Area Width	V Viewing Area Height
DVCP36SP30	39 1/4	45	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25
DVCP36SP70	39 1/4	42	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25








Minimum Fireplace Opening Dimensions

ſ



Warranty for All Models

10-year limited warranty on combustion chamber, limited lifetime on glass. All other parts carry a three-year limited warrany.

All remote controls carry a one-year limited warranty.

Note: Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product.

All direct-vent fireplaces manufactured after January 1, 2015, must be installed with a barrier screen to prevent accidental contact with hot glass. Depending on the fireplace model, the barrier screens are available separately or incorporated into decorative fronts. See Owner's Manual for details

Refer to your Owner's Manual for complete installation and safety information.

Gas Inlet					
Type of Gas (State on Order)	Natural or LP				
Iron Pipe Size (N.P.T.)	1/2 inch				
Ignition Systems	Standing Pilot/Piezo or IP				

Empire Comfort Systems Inc., has manufactured safe, reliable gas-fired decorative appliances and heating systems since 1932. We take pride in our reputation for quality products, backed by the best sales, service, and distribution network in this industry. These fireplaces combine proven technologies with exceptional artistry and craftsmanship to enhance the ambiance of any home.

Member of the following industry associations:

This appliance is design-certified to the ANSI standard by:





The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks

www.empirecomfort.com