



The Vail Series Vent-Free Gas Fireplaces

Vail 36 in a White Standard Corner Mantel with Base, trimmed with Arch Decorative Door Frame in Matte Black, Outer Frame and Bottom Trim, and Optional Stacked Limestone Liner and Sassafras Refractory Log Set





Vail 24 Fireplace System with Optional Ceramic Aged Brick Liner, Cherry Mantel, and Hammered Pewter Frame, Louvers and Bottom Trim

Vail 24 – a full-featured fireplace for smaller spaces

The Vail 24 delivers the beauty of hand-painted logs and natural flickering flames to dens, halls, and even bedrooms.

Vail 24 Fireplaces are rated at 20,000 Btu – enough heat to keep a family room cozy and warm. Special 10,000 Btu models are available in Millivolt and Intermittent Pilot for bedroom installations, where allowed by local codes.

The Vail 24 fireplace includes matte black louvers and frame. Available accessories include louvers and metal frames (in hammered pewter), blowers, brick liners, remote controls, and Standard Cabinet and Corner Mantels (in cherry, dark oak, oak, unfinished hardwood, and white).

Control Options

The basic Vail 24 operates with a built-in modulating hydraulic thermostat that automatically manages the flame to maintain your preset room temperature.

The Remote-Ready Millivolt Vail 24 Fireplace works with any of our battery operated Thermostat Remote Controls, or connect to a simple wall switch or wall thermostat.

The Intermittent Pilot Vail saves even more energy by eliminating the standing pilot – yet can still operate in a power outage with a battery backup.

Vail 26

Vail 26 Special Edition

The Vail 26 Special Edition is the American-made fireplace system that ships complete in one package – fireplace, assembled mantel, Flint Hill log set with 20,000 Btu vent-free Contour burner, matte black hood, frame and louvers – even glowing embers.

This package system installs in as little as 30 minutes, minimizing labor costs. A total mantel footprint of just over 17 by 45 inches makes the Vail 26 Special Edition ideal for tight spaces and small rooms.

The Vail 26 Special Edition is available in two mantel colors – cherry, and white – and in modulating hydraulic thermostat and Millivolt control. Add a wall thermostat, remote control, or thermostat remote control.

Available accessories include Hammered Pewter trim, blower, and Banded Brick liner.

Vail 26

We also offer the Vail 26 as a separate fireplace – perfect for built-in and custom mantel applications. Or choose one of our standard cabinet or corner cabinet mantels, available in four finishes – cherry, dark oak, oak, and white – plus unfinished hardwood.

The 10,000 Btu Millivolt and Intermittent Pilot versions may be installed in bedrooms, where allowed by code.



Vail 26 Special Edition Fireplace System includes Mantel (shown in Cherry)

Vail Premium Fireplaces

Vail Premium 32 and 36 Models

Standard Features

At 99.9 percent efficient, the Vent-Free Vail Fireplace delivers more heat for your energy dollars – 32,000 Btu for the Vail 32 and 36,000 Btu for the Vail 36. Ceramic glazed pellets in the burner tumble and swirl the gas to produce a natural flickering flame.

Choose one of two available log sets – Ceramic Fiber or Refractory. Both are hand painted for exceptional realism and exquisite detail.

One of two liners – aged brick or stacked limestone – will complement your decor.

The matte black arched screen front perfectly frames the logs and optional brick liner to create an exceptionally beautiful fireplace. All Vail fireplaces come with matte black slat louvers and hood.

The Vail 32 and 36 Premium Vent-Free Fireplaces feature hem-bent seams that provide a better seal while eliminating dozens of screws and fasteners. The result is a lighter, more rigid box that's easier to install.



Vail 32 with 24-inch Sassafras Refractory Log Set



Vail 32 with 24-inch Ceramic Fiber Log Set

Vail Fireplace Systems

- Zero Clearance Certified
- Integrated Oxygen Depletion Sensor
- Thermostat, Millivolt, and Intermittent Pilot Models
- A Variety of Decorative Accessories
- Bedroom-Rated Models Available (See Vail 24 on page 2; Vail 26 on page 3)

Mantels


Surround your Vail fireplace with our Standard Cabinet Mantel or Corner Cabinet Mantel beautifully hand finished in cherry, dark oak, oak, or white. Each mantel is detailed in matching solid wood trim – in oak or poplar.

Vail Premium Fireplaces – Options & Accessories

Decorative Doors – include handles, screens, and hinges



Decorative Door Plain Arch



Decorative Door Mission Arch

Decorative Frames



Decorative Door Frame Arch

Decorative Louvers



Decorative Louver Arch




Decorative Louver Mission

Outer Frames and Bottom Trim

Our metal three-piece outer frames let you transition from your fireplace to any adjoining surface – wooden mantel, tile, stone, or any noncombustible material. Choose from steel frames – with traditional crisp lines – or our new extruded aluminum frames – with a profile that combines gentle concaves with flat surfaces. Each is available in matte black or hammered pewter.

Our bottom trim completes the fourth side of the color frame.

Extruded Aluminum Frames



*Matte Black
(Shown on Cherry Mantel)*



*Hammered Pewter
(Shown on Oak Mantel)*

Vail Decorative Trim is available in Classic Matte Black or Rich Hammered Pewter.

Vail Multisided Fireplace Systems & Dimensions

Vail Multisided Fireplace Systems

At 99.9-percent efficient, the 38,000 Btu Vail vent-free multisided system is the ultimate supplemental heat source for any home. This clean-burning fireplace employs oxygen depletion sensor technology to continuously monitor your room air and instantly shut off the gas well before oxygen drops to an unsafe level.

Vail systems include a built-in 24-inch Slope Glaze Vista Vent-Free Burner, arched frames with fixed screens, Banded Brick Liner, and glowing embers. The 24-inch Rock Creek refractory log set must be ordered to complete the fireplace.




Rock Creek Refractory Log Set
Left: Opposite side view. Right: End view.

The Vail Premium 36-inch Peninsula Vent-Free Fireplace includes a 38,000 Btu Slope Glaze Vista Burner and Banded Brick Liner, plus fixed screens, louvers, and hoods on three sides. Requires Rock Creek refractory log set. Also available in See-Through model with two open sides.

Model	Vail Vent-Free Fireplace System (requires Rock Creek Log Set)
VFP36PP32E	Vail Premium VF 36 Peninsula Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner (Requires LSU-24-RR log set)
VFP36SP32E	Vail Premium VF 36 See-Through Fireplace, Millivolt, Banded Brick Ceramic Fiber Liner (Requires LSU-24-RR log set)

Multisided Fireplace Dimensions (in inches)

Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	Max Weight (lb)	Input Btu Nat Max/Min LP Max/Min
VFP36PP32E	34 3/4	39	24	22	36	35 1/4	29 1/8	37 3/4	1 1/4	6 1/8	2 1/2	5 7/8	24 1/8	33 1/2	175	38,000/25,000 38,000/30,000
VFP36SP32E	34 3/4	39	24	22	36	34 1/4	29 1/8	37 3/4	1 1/4	6 1/8	2 1/2	5 7/8	24 1/8	33 1/2	170	38,000/25,000 38,000/30,000



Vail Premium Fireplaces – Options & Accessories

Brick Liners

- Aged Brick Liners have brown bricks with charcoal mortar in running bond courses, plus smoked accents.
- Stacked Limestone Liners have rugged, irregular stones with no mortar.
- Traditional liners have burnt umber bricks with light gray mortar, in running bond courses (Available for Vail 24 only).
- Banded Brick Liners have dark “creamed-coffee” bricks with charcoal mortar in running bond courses, plus an accent band of diagonal brick (Available for Vail 26 only).



Vail 32 & 36



Vail 32 & 36



Vail 24 Only



Vail 26 Only

Control Options

The basic Vail operates with a built-in modulating hydraulic thermostat that automatically manages the flame to maintain your preset room temperature.

Step up to a Remote-Ready Millivolt or IP Vail Fireplace and select our battery operated Thermostat Remote Control. Or connect to a simple wall switch or wall thermostat – even a wireless model that simplifies installation.



FRBC
Remote Control



FRBTC
Thermostat Remote Control



FREC
Electric Remote Control



FRBTP
Programmable Thermostat
Remote Control



TDV Wireless
Wall Thermostat



TMV
Wall Thermostat



TRW Wireless
Wall Thermostat




FWS
Wall Switch

Vail Fireplace Dimensions (in inches)

Model	A	B	C	D	E	F	G	H	I	J
VFP24FP	22 5/8	17 1/4	11	21	17 9/16	26 1/2	19 1/2	27 3/4	37 1/2	N/A
VFD26FP/FM	30	25	13 1/8	26	18 1/8	30 1/4	25 1/2	36 1/4	51 1/4	N/A
VFP32BP	34	29	17 3/8	31	22 7/8	32 3/4	31 7/8	45 1/8	63 3/4	35 3/4
VFP36BP	39	34	17 3/8	36	24 7/8	34 3/4	34 3/8	48 5/8	68 3/4	37 3/4

Drawings vary by product. Check owner's manual for specific product dimensions.




Vail Fireplace Framing Dimensions (in inches)

Model	Framing Width	Framing Height	Framing Depth
VFP24FP	23 1/4	27	11 1/2
VFD26FP/FM	30 1/2	30 3/4	13 1/4
VFP32BP	34 1/2	36 1/4	17 7/8
VFP36BP	39 1/2	38 1/4	17 7/8

Vail Mantel Dimensions (in inches)

Model	A Top Width	B Top Depth	C Height	D Cabinet Width	E Cabinet Depth	F Opening Width	G Opening Height	H Inside Depth	I Base Width	J Base Depth	K Base Height	L Corner Depth	Fits
EMF22	37 3/4	13 1/4	38 1/2	35	12 1/2	23	26 3/4	11 1/2	26 3/8	16 1/8	3 5/8		Vail 24
EMBF1S	58 1/8	22 3/4	51 3/4	49	19 1/8	34 5/8	33 7/8	18 5/8	38 1/2	23	3 5/8		Vail Premium 32
EMBF3S	63 7/8	26 1/2	54	55 1/4	22 5/8	40 3/4	35 3/4	21 7/8	44 1/2	26 1/8	3 5/8		Vail Premium 36
EMBF11S	48	18 1/8	41 1/4	39 3/4	14 3/4	30 1/4	30 5/8	13 3/4	41 1/4	16 1/2	3 5/8		Vail 26
EMC22	43 3/8	25 1/4	38 5/8	40 5/8	31	23	26 3/4	24 3/8	24 1/2	11 7/8	3 1/4	30 3/8	Vail 24
EMBC1S	63	37 3/8	51 7/8	57 3/4	45 3/4	34 5/8	33 7/8	33 3/4	38 5/8	20 5/8	3 1/4	40 3/8	Vail Premium 32
EMBC3S	69	40 1/4	53 3/8	64	49	40 3/4	35 3/4	36 1/2	44 3/8	20 5/8	3 1/4	43	Vail Premium 36
EMBC11S	55 3/4	33 3/4	41 1/4	49 7/8	40 3/4	30 1/4	30 5/8	31	41 1/8	16 5/8	3 5/8	33 7/8	Vail 26

Mantels available in cherry, dark oak, oak, white, and unfinished hardwood. See Owner's Manual for Vail Peninsula Mantel specifications.



Gas Inlet for All Models		Warranty for All Models
Type of Gas	Natural or LP	All parts carry a five-year limited warranty with a five-year limited labor warranty.
Iron Pipe Size (N.P.T.)	1/2 inch	All remote controls carry a one-year limited warranty.
Ignition System	Standing Pilot/Piezo or Intermittent Pilot	

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product. Flame size, shape, and color will vary from photos.

Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

Empire Comfort Systems Inc.
918 Freeburg Ave.
Belleville, IL 62220-2623
info@empirecomfort.com
WMH-00550 1/01/19

The Empire Comfort Systems and White Mountain Hearth names and logos are registered U.S. trademarks.